

Work Order ID 137040 - 1

Wednesday, September 23, 2015 11:52:02 A

Split

137040

Page 1

Item ID: D135-692-011

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Bearpaw

Start Date: 9/23/2015 Start Qty: 2.00

2

Cust Item ID:

Required Date: 9/23/2015 Req'd Qty: 2.00

2

Customer:

Reference:

Approvals:

Process Plan: *MLS*

Date: *SEP 23 2015*

Tooling:

Date: _____

Run Start *NR1*

QC:

Date: _____ SPC (Y/N): _____

Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3049	A1
IIN-D135-692	B

MLS

100 Document Control 0.00

100

DC Memo 0.00

Doc.Control -USB or Paperwork Photocopy bluefile and create labels per PPP D135-692-011 CHG002

MLS *SEP 23 2015*

150 Pick Kit 0.00

150

Packaging Memo 0.00

Packaging

1 *AS* *27* *9-29* *SEP 24 2015* *AS* *27* *9-29*

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mis-labeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Work Order ID 137040

Wednesday, September 23, 2015 11:52:02 A

137040

Page 2

Item ID: D135-692-011 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Bearpaw
Start Date: 9/23/2015 Start Qty: 2.00 *2* Cust Item ID:
Required Date: 9/23/2015 Req'd Qty: 2.00 *2* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC4- 100% Inspect kits for completeness	0.00							DAS 02 9-89
160									SEP 28 2015
QC	Memo	0.00							
Quality Control									
170		0.00							DAS 02 9-89
170	Packaging								SEP 28 2015
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D135-692-011								
	Location: _____								
	PPP Rev: _____								
180	QC21- Final Inspection - Work Order Release	0.00							
180									ML5 SEP 28 2015
QC	Memo	0.00							
Quality Control									

SEP 28 2015

ML5 SEP 28 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER :					

Picklist Print

Page 1

Wednesday, September 23, 2015 11:52:05 AM

Work Order ID: 137040

137040

Parent Item: D135-692-011

D135-692-011

Parent Item Name: Bearpaw

Start Date: 9/23/2015

Required Date: 9/23/2015

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:C04.02.17Blank size changed, Tolerance added Step
3KJ/JLM IPP REV:E AS PER DSI
9592/9587 REV A JLM VERIFIED BY:EC
IPP Rev:D 08-04-16 Added Step 2 JLM Verified By:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN4-13A Bolt		Purchased	No				Each	202.0000	6	16		DAS 27 9-89	DAS 6 9-89
AN4-13A	DAS 02 9-89								**				
				<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>							
				FG	20								
				122808	20								
				ST344	182								
				m132551	182								
D2182B		Manufactured	No			160	f	640.1768	2	4		DAS 27 9-89	DAS 6 9-89
D2182B	DAS 02 9-89								**				
				<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>							
				ST411	640.1768								
				130427	290.1768								
				135093	350								
(D2182B060) Cut 4 at 6.00"													
D2274		Manufactured	No			160	Each	116.0000	8	16		DAS 27 9-89	DAS 6 9-89
D2274	DAS 02 9-89								**				
				<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>							
				FG	12								
				86855	12								
				ST006	104								
				134217	104								

SEP 24 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified	☐	Past Due	☐				

Picklist Print

Wednesday, September 23, 2015 11:52:05 AM

Page 2

Work Order ID: 137040

137040

Parent Item: D135-692-011

D135-692-011

Parent Item Name: Bearpaw

Start Date: 9/23/2015

Required Date: 9/23/2015

Start Qty: 2.00

Required Qty: 2.00

D2519

Manufactured No

160

Each

6.0000

4

8

D2519

Clamp

DAS
02
9-89

**

DAS
27
9-89

DAS
6
9-89

Location

Loc Qty

Loc Code

ST542

6

134298

6

6

D2529

Manufactured No

160

Each

315.0000

8

16

D2529

Washer

DAS
02
9-89

**

DAS
27
9-89

DAS
6
9-89

Location

Loc Qty

Loc Code

ST007

115

131945

115

16

ST008

200

135846

100

136774

100

D3049-1

Manufactured No

160

Each

0.0000

2

4

D3049-1

Bearpaw

DAS
02
9-89

**

DAS
27
9-89

SEP 27 2015

DAS
6
9-89

B156457 4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____		DISPOSITION		AGAINST DEPARTMENT/PROCESS							
Part No. _____		Rework ☐		Skid-tube ☐		Cross tube ☐		Water Jet ☐		Engineering ☐	
NCR No. _____		Scrap ☐		Machining ☐		Small Fab ☐		Prod. Eng. Coord. ☐		Quality ☐	
		Use-as-is ☐		Thermoforming ☐		Finishing ☐		Rec/Store/Packaging ☐		Other ☐	
		Suspected Unapproved ☐		Large Fab ☐		Composite ☐		Supplier ☐			
Date : _____		Step #: _____			QTY Effective : _____				MRB (QS1042) Approval		
Description Work Order Deviation					Disposition						
									Completed By		
									Lead hand / Supervisor Approval Verification		
									QC / QA Coordinator Approval		
Root Cause					FAULT CATEGORY						
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐						
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐						
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐						
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐						
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐						
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐						
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐						
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐						
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐						
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐						
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____									
Misidentified ☐	Past Due ☐										

Picklist Print

Wednesday, September 23, 2015 11:52:05 AM

Work Order ID: 137040

137040

Parent Item: D135-692-011

D135-692-011

Parent Item Name: Bearpaw

Start Date: 9/23/2015

Required Date: 9/23/2015

Start Qty: 2.00

Required Qty: 2.00

MS21042L4

Purchased

No

160

Each

1,671.000

8

16

MS21042L4

Locknut

DAS
02
9-89

Location

Loc Qty

Loc Code

FP001

2

m124231

2

GA

112

m127813

112

ST260a

170

m130799

56

m131803

6

m132262

108

ST305

1387

m128300

8

m130388

7

m130922

97

m131618

12

m132123

56

m132382

1207

NAS1149D0463J

Purchased

No

160

Each

2,569.000

8

16

NAS1149D0463J

WASHER

DAS
02
9-89

Location

Loc Qty

Loc Code

GA

41

M129390

41

ST260a

1000

M133077

1000

ST269

1528

M129682

86

M130799

371

M132035

58

M132317

125

M132677

888

SEP 24 2015

Wednesday, September 23, 2015 11:52:05 AM

Shop Packet Print

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Wednesday, September 23, 2015 11:52:05 AM

Work Order ID: 137040

137040

Parent Item: D135-692-011

D135-692-011

Parent Item Name: Bearpaw

Start Date: 9/23/2015

Required Date: 9/23/2015

Start Qty: 2.00

Required Qty: 2.00

QS100-M24S

Purchased

No

160

Each

11.0000

4

8

QS100-M24S

**

Clamp

DAS
02
9-89

Location

Loc Qty

Loc Code

ST544

11

m133134

11

8

DAS
27
9-89

SEP 24 2015

DAS
6
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td style="border: none;"></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition																					
				Completed By																					
				Lead hand / Supervisor Approval Verification																					
				QC / QA Coordinator Approval																					
Root Cause		FAULT CATEGORY																							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____																			



DESIGN RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3049	REV. A SHEET 1 OF 2
DATE 01 10.18		TITLE BEARPAW	SCALE 1:7
A	01.10.18	NEW ISSUE	
AI	# RF 03.01.13	$\phi 0.93$ WAS $\phi 0.75$	

RELEASED
01.10.24

ENGRAVE DART LOGO TO
MAX DEPTH OF 0.012.
ENGRAVE PART AND BATCH
NUMBERS TO MAX DEPTH
OF 0.010. (TYPICAL
LOCATION AS ILLUSTRATED)



D3049-1 BEARPAW

NOTES:

- 1) BEARPAW IS SYMMETRIC ABOUT CENTER LINE
- 2) MATERIAL: UHMW BLACK PER SPEC CONTROL DRAWING D2689, 1.00" THICK (MACHINE TO 0.950)

137040 MLS
150423


Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN RF	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED H	APPROVED H	DRAWING NO. D3049	REV. A SHEET 2 OF 2
DATE 01.10.18		TITLE BEARPAW	SCALE 1:6

RELEASED
0.10.24 H



SECTION A-A



SECTION B-B

Copyright © 2001 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

4. WEIGHT AND BALANCE

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D135-692-011	11.8 lb	0.0 in	0.0 in-lb	199.7 in	2356 in-lb
Bearpaw Installation	5.36 kg	0.0 m	0.0 m-kg	5.07 m	27.2 m-kg
D135-692-041	2.24 lb	0.0 in	0.0 in-lb	199.7 in	447 in-lb
Wearplate Kit	1.0 kg	0.0 m	0.0 m-kg	5.07 m	5.1 m-kg
D135-692-011	11.8 lb	0.0 in	0.0 in-lb	201 in	2372 in-lb
Bearpaw Installation, Aft Location	5.36 kg	0.0 m	0.0 m-kg	5.10 m	27.3 m-kg
D135-692-041	2.24 lb	0.0 in	0.0 in-lb	201 in	450 in-lb
Wearplate Kit, Aft Location	1.0 kg	0.0 m	0.0 m-kg	5.10 m	5.1 m-kg

5. PARTS LIST

Qty -011	Qty -041	Part Number	Description
X		D135-692-011	BEARPAW INSTALLATION
	X	D135-692-041	WEARPLATE KIT
4		D2182B060	RUBBER CUSHION
8		D2274	RADIUS BLOCK
2		D3049-1	BEARPAW
8		D2529	WASHER
4		D2519	CLAMP
	2	D3719-041	WEARPLATE
8	8	AN4-13A	BOLT
8	8	NAS1149D0463J	WASHERS
8	8	MS21042L4	NUT (OR MS21042-4)
4		QS100M24S	CLAMP